

STELLA PLUS

Version
Slim motor 800 m³/h

Designer

Collection
Design+

EAN code
8034122368566

FEATURES

Perimeter suction
Electronic control
Metallic grease filter, removable and washable
Combined regenerable
Carbon.Zeo filter (optional)
Remote control included
Dimmable lighting
Dynamic Light (2700K - 5600K)
Motor sold separately
Dialogue system with auto mode
Strip LED

Cut-out size: 505 x 940 mm
OPTIONAL ACCESSORIES

- KACL.396**
Flange - Ø200
- KACL.398**
Flange - Ø150
- KACL.770#41F**
Remote under-roof 1100 m3/h
Brushless
- KACL.782#49F**
Slim motor 800 m3/h
- KACL.786#41F**
Outdoor extractor fan 1000 m3/h
- KACL.789**
Junction for ceiling hoods
- KACL.796#4AF**
Outdoor extractor fan 1500 m3/h
- KACL.797#4AF**
Remote under-roof motor 1300 m3/h
- KACL.798#41F**
Remote under-roof motor 950 m3/h
- KACL.928**
Filters spare
- KACL.931**
Filters Carbon.Zeo - Spare
- KACL.939#BF**
Ceiling re-circulation filtering kit (only for Slim Motor)
- KACL.953#BF**
Carbon.Zeo vertical outlet ceiling filter unit kit

TECHNICAL FEATURES

Installation type
Ceiling
Dimensions
90 cm
Finishing
Painted white steel
Type of control
Electronic control
Speed
3 + boost
Lighting
Led stripe
Filter
Metallic filter "Base" - 290x326 mm
Maximum distance
Gas hob: 150 cm
Electric hob: 150 cm



Photograph is for information purposes only
It may not correspond to the selected version.

PACKAGING:WEIGHTS AND VOLUMES

STELLA PLUS Gross weight
24.6 kg
Net weight
21.8 kg
Volumes
0.14 m³
Packaging size
Length
1120 mm
Height
190 mm
Depth
670 mm
REMOTE MOTOR Slim motor
800 m³/h **Gross weight**
6.5 kg
Net weight
5.2 kg
Volumes
0.04 m³
Packaging size
Length
575 mm
Height
195 mm
Depth
395 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption
30 W
Voltage
220-240V
Frequency
50-60Hz
ENERGY CLASS
0

STELLA PLUS

Version

Slim motor 800 m³/h

Designer

Collection

Design+

EAN code

8034122368566

